

CS23879RA
KRAUSE
FIG 1




FIG 2

200




FIG 3

Origination Response Message

...	
302 — SCM	8
304 — REQUEST_MODE	3
SPECIAL_SERVICE	1
...	
306 — SO_BITMAP	Variable
308 — EXT_REQUEST_MODE_INCL	1
310 — EXT_REQUEST_MODE	8

300

FIG 4

402 —	Bit	Mode
404 —	0	GSM Single-Slot Dedicated Channel
406 —	1	GSM Multi-Slot Dedicated Channel
	2-7	Reserved

400

CS3827A
KRAUSE
FIG 5

502

504

506

508

510

512

514

Value	Assignment Mode
000	Traffic Channel Assignment
001	Paging Channel Assignment
010	Acquire Analog System
011	Analog Voice Channel Assignment
100	Enhanced Traffic Channel Assignment
101	Acquire GSM System
110	GSM Voice Channel Assignment
All other values are reserved	

500

FIG 6

RESPOND	1
PCS_BAND_FLAG	1
ARFCN	10
...	...

602

604

606

FIG 7

PCS_BAND_FLAG	1
ARFCN	10
TIMESLOT	3
HALF/FULL	1
HOPPING_SEQUENCE	8
CIPHERING	Variable

702

704

706